


INF DA150 UAV Engine

TECHNICAL SPECIFICATIONS



OPERATIONAL SPECIFICATIONS

Input Voltage	16.8v (4S) - 25.2v (6s)
Alternator Options	48v 350W, 24v 200W
Current Draw full Power	<1amp
Output Power	9.2hp
System Weight	3.7kg Inc EFI System
Engine Displacement	150cc, 9.15ci
Engine Control	INF Electronic Fuel Injection
Ignition	Electronic Capacitive Discharge
Operating RPM	7,000 RPM
Telemetry	TTL 9600 Baud rate
Operating Temperature	-15C - +50C
Operational Altitude	0 - 12,000ft
Engine Type	Two Cylinder 2-Stroke
Fuel Type	40:1 Synthetic 2-Stroke
Cooling	Air Cooled
Starting	Self starting via Alternator
TBO	250h

INF DA150 UAV Features

- Proven Reliability
- Single power supply for the entire engine system
- Light weight
- MIL DTL 83513 wiring harness and connectors
- Automatic altitude tuning based on barometric sensors
- Fuel Injection overheat protection
- Output alternator options
- On-board Data logging SD card
- TTL Engine Telemetry to Flight Control System
- Standard Exhaust or silencer options available
- Automatic engine start via alternator
- Lightweight INF Throttle body EFI Integration

